

Printing date 15.04.2025

Safety data sheet

according to UK REACH Version number 21 (replaces version 20)

Revision: 15.04.2025

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

· 1.1 Product identifier

- · Trade name: Mipa WBS PU-Buntlack
- 1.2 Relevant identified uses of the substance or mixture and uses advised against
- No further relevant information available.
- · Application of the substance / the mixture Paint
- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier: MIPA SE Am Oberen Moos 1 D-84051 Essenbach Tel.: +49 8703 92 20 Fax.: +49 8703 92 21 00 e-mail: sdb-registratur@mipa-paints.com www.mipa-paints.com
- **1.4 Emergency telephone number:** International emergency number: +49(0)700 24112112 (MIP)

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

- [•] Classification according to Regulation (EC) No 1272/2008
- The product is not classified, according to the GB CLP regulation.
- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Additional information:
- EUH208 Contains C(M)IT/MIT (3:1), 1,2-Benzisothiazol-3(2H)-one. May produce an allergic reaction.
- 2.3 Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

 Dangerous components: 			
CAS: 34590-94-8 EINECS: 252-104-2 Reg.nr.: 01-2119450011-60	Dipropylene glycol monomethyl ether substance with a Community workplace exposure limit	2	2.5-<10%
		(Conto	d, on page 2

– GB



according to UK REACH

Revision: 15.04.2025

Printing date 15.04.2025

Version number 21 (replaces version 20)

Trade name: Mipa WBS PU-Buntlack

		ontd. of page
CAS: 2634-33-5	1,2-Benzisothiazol-3(2H)-one	<0.025%
EINECS: 220-120-9	🔶 Acute Tox. 2, H330; 🔶 Eye Dam. 1, H318; 🚯 Aquatic	
Reg.nr.: 01-2120761540-60		
3	H302; Skin Irrit. 2, H315; Skin Sens. 1, H317	
	Specific concentration limit: Skin Sens. 1; H317: $C \ge 0.05$	
	· •	
	C(M)IT/MIT (3:1)	<0.0015%
Reg.nr.: 01-2120764691-48	left Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2,	
	H330; < Skin Corr. 1C, H314; Eye Dam. 1, H318;	
	▲ Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1,	
	H410 (M=100); 🕦 Skin Sens. 1A, H317, EUH071	
	Specific concentration limits: Skin Corr. 1C; H314: $C \ge 0.6$	
	%	
	C < 0.6 %	
	Eye Dam. 1; H318: C ≥ 0.6 %	
	Eye Irrit. 2; H319: 0.06 % ≤	
	C < 0.6 %	
	Skin Sens. 1A; H317: C ≥	
	0.0015 %	

SECTION 4: First aid measures

· 4.1 Description of first aid measures

- · General information: No special measures required.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- · 6.2 Environmental precautions:
- Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

• **6.3 Methods and material for containment and cleaning up:** Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

(Contd. on page 3)



according to UK REACH

Revision: 15.04.2025

Printing date 15.04.2025

Version number 21 (replaces version 20)

Trade name: Mipa WBS PU-Buntlack

(Contd. of page 2)

· 6.4 Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

• **7.1 Precautions for safe handling** No special measures required.

No special precautions are necessary if used correctly.

Information about fire - and explosion protection: No special measures required.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:

• Requirements to be met by storerooms and receptacles: No special requirements.

- · Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions: Protect from frost.

· Storage class: 12

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

34590-94-8 Dipropylene glycol monomethyl ether

WEL Long-term value: 308 mg/m³, 50 ppm Sk

Additional information: The lists valid during the making were used as basis.

- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see section 7.
- Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Respiratory protection:

Use suitable respiratory protective device only when aerosol or mist is formed.

· Hand protection

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Breakthrough time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye/face protection Goggles recommended during refilling

(Contd. on page 4)

GB



Printing date 15.04.2025

Safety data sheet according to UK REACH

Version number 21 (replaces version 20)

Revision: 15.04.2025

(Contd. of page 3)

Trade name: Mipa WBS PU-Buntlack

SECTION 9: Physical and chemical	properties	
9.1 Information on basic physical and chem	nical properties	
General Information	Linuid	
Physical state	Liquid	
Colour:	According to product specification	
Odour:	Characteristic	
Odour threshold:	Not determined.	
Melting point/freezing point:	Undetermined.	
Boiling point or initial boiling point and		
boiling range	100 °C (7732-18-5 water, distilled, conductivity	
	of similar purity)	
Flammability	Not applicable.	
Lower and upper explosion limit		
Lower:	Not determined.	
Upper:	Not determined.	
Flash point:	Not applicable.	
Auto-ignition temperature:	207 °C (DIN 51794, 34590-94-8 Dipropyler	
	glycol monomethyl ether)	
Decomposition temperature:	Not determined.	
рН	Not determined.	
Viscosity:		
Kinematic viscosity	Not determined.	
Dynamic at 20 °C:	2,000 mPas	
Solubility		
water:	Fully miscible.	
Partition coefficient n-octanol/water (log		
value)	Not determined.	
Vapour pressure at 20 °C:	23 hPa (7732-18-5 water, distilled, conductivity	
vapour pressure at 20°C.	of similar purity)	
Density and/or relative density	or sinniar punty)	
Density and/or relative density	1 201 a/am3 (DIN EN ISO 2811 1)	
Density at 20 °C:	1.204 g/cm ³ (DIN EN ISO 2811-1)	
Relative density	Not determined.	
Vapour density	Not determined.	
9.2 Other information		
Appearance:		
Form:	Fluid	
Important information on protection of heat	lth	
and environment, and on safety.		
Ignition temperature:	Product is not selfigniting.	
Explosive properties:	Product does not present an explosion hazard.	
Solvent content:		
VOC (EC)	6.76 %	
Solids content (weight-%):	46.7 %	
Change in condition		
Evaporation rate	Not determined.	
•		
Information with regard to physical haza	ra	
classes		
Explosives	Void	
Flammable gases	Void	
Aerosols	Void	
Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
	Void	
Flammable solids	VOID	

⁻ GB



according to UK REACH

Revision: 15.04.2025

Printing date 15.04.2025

Version number 21 (replaces version 20)

Trade name: Mipa WBS PU-Buntlack

		(Contd. of page 4)
· Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
· Self-heating substances and mixtures	Void	
· Substances and mixtures, which emit		
flammable gases in contact with water	Void	
[.] Oxidising liquids	Void	
· Oxidising solids	Void	
· Organic peroxides	Void	
· Corrosive to metals	Void	
· Desensitised explosives	Void	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

10.2 Chemical stability

- · Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

- · Acute toxicity Based on available data, the classification criteria are not met.
- Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- *Reproductive toxicity* Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

For information on endocrine disrupting properties see section 11.

(Contd. on page 6)

GB



according to UK REACH

Revision: 15.04.2025

Printing date 15.04.2025

Version number 21 (replaces version 20)

Trade name: Mipa WBS PU-Buntlack

(Contd. of page 5)

- 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:
- Water hazard class 1 (German Regulation) : slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Smaller quantities can be disposed of with household waste.

Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

SECTION 14: Transport information

 14.1 UN number or ID number ADR, ADN, IMDG, IATA 	Void	
 14.2 UN proper shipping name ADR, ADN, IMDG, IATA 	Void	
 14.3 Transport hazard class(es) 		
· ADR, ADN, IMDG, IATA		
· Class	Void	
· 14.4 Packing group		
· ADR, IMDG, IĂTA	Void	
· 14.5 Environmental hazards:		
· Marine pollutant:	No	
· 14.6 Special precautions for user	Not applicable.	
· 14.7 Maritime transport in bulk according to		
IMO instruments	Not applicable.	
· UN "Model Regulation":	Void	

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Poisons Act
- · Regulated explosives precursors

None of the ingredients is listed.

Regulated poisons

None of the ingredients is listed.

(Contd. on page 7)

GB



Printing date 15.04.2025

Safety data sheet

according to UK REACH

Revision: 15.04.2025

Version number 21 (replaces version 20)

Trade name: Mipa WBS PU-Buntlack

(Contd. of page 6) · Directive 2012/18/EU · Named dangerous substances - ANNEX I None of the ingredients is listed. · LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (UK ANNEX XIV) 68412-54-4 Nonylphenol, branched, ethoxylated Sunset date: 2021-01-04 · National regulations: · Additional classification according to Decree on Hazardous Materials, Annex II: Class | Share in % NK 2.5-<10 • 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out. SECTION 16: Other information This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. · Relevant phrases H301 Toxic if swallowed. H302 Harmful if swallowed. H310 Fatal in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. Fatal if inhaled. H330 H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. EUH071 Corrosive to the respiratory tract. · Classification according to Regulation (EC) No 1272/2008 The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008. Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 3: Acute toxicity - Category 3 Acute Tox. 4: Acute toxicity - Category 4 Acute Tox. 2: Acute toxicity – Category 2 Skin Corr. 1C: Skin corrosion/irritation - Category 1C Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Skin Sens. 1: Skin sensitisation - Category 1 Skin Sens. 1A: Skin sensitisation - Category 1A Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1 * Data compared to the previous version altered.